
Biotinylated Recombinant 2019 nCOV Spike RBD (His&Avi Tag)

BIOSS
ANTIBODIES
www.bioss.com.cn
400-901-9800
sales@bioss.com.cn
support@bioss.com.cn

Cat. No. bs-46003P-Biotin

| Description | |
|-------------------------|---|
| Protein Sequence | Biotinylated 2019-nCoV S protein RBD with a His tag and Avi at the C-terminal (Arg319-Asn532). |
| Source | Mammalian Expression System |
| Accession | QHD43416.1 |
| Mol wt | The protein has a predicted MW of 27 kDa. Due to glycosylation, the protein migrates to 36-40KDa based on Bis-Tris PAGE result. |
| Endotoxin | Less than 1EU per ug by the LAL method. |
| Purity | > 95% as determined by Bis-Tris PAGE |
| | >95%as determined by HPLC |
| Activity assay | Not tested. |
| Formulation and Storage | |
| Formulation | Lyophilized powder (Lyophilized from 0.22um filtered solution in 20mM PB (pH 7.4). Normally 5% trehalose is added as protectant before lyophilization.) |
| Storage | The product should be stored at -70 $^{\circ}$ C or -20 $^{\circ}$ C. |
| Background | |
| | The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin- |

Assay Data
Tris-Bis PAGE




responses, as well as protective immunity.

Biotinylated Recombinant 2019-nCoV S protein RBD on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

HPLC Data


converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell



The purity of Biotinylated 2019-nCoV S protein RBD is greater than 95% as determined by SEC-HPLC.

ELISA Data

Human ACE2, His Tag ELISA



Immobilized n-COV RBD at 1ug/ml(100ul/Well). Dose response curve for Biotinylated ACE2 with the EC50 of 0.1ug/ml determined by ELISA.