

## Recombinant human VEGF121 (Active, Tag free)

Cat. Number: ck0024

Quantity size: 10µg / 50ug / 500µg

**Protein Sequence**: 279-390aa, Tag free, full length mature protein

Swiss-Prot: P15692

Gene ID: 7422

Source: Human cells derived

Structure: Glycosylated homodimer

Purity: >95% by SDS-PAGE

**MW:** 37kDa (homodimer), 50kDa (homotrimer)

Endotoxin Level: <0.5EU/ug

Formulation: Lyophilized from a 0.2µm filtered solution in PBS without carrier protein

Animal and Xeno free

Activity Assay: The activity was measured by its ability to stimulate the proliferation of HUVEC cells

(Human Umbilical Vein Endothelial Cells).

Reconstitution: Briefly centrifuge the vial before opening. It is recommended to reconstitute the

protein in sterile PBS containing 0.1% endotoxin-free recombinant human serum

albumin.

Stability & Storage: Use a manual defrost freezer and avoid repeated freeze-thaw cycles. In general: 12

months from date of receipt, -20 to -80  $^{\circ}$ C as supplied. 1 month, 2 to 8  $^{\circ}$ C under sterile conditions after reconstitution. 3 months, -20 to -80  $^{\circ}$ C under sterile

conditions after reconstitution.

Description: Vascular endothelial growth factor (VEGF) is a potent growth and angiogenic

cytokine. It is a member of the PDGF family that is characterized by the presence of eight conserved cysteine residues and a cystine knot structure .VEGF stimulates angiogenesis, asculogenesis and endothelial cell growth, induces endothelial cell proliferation, promotes cell migration, inhibits apoptosis and induces permeabilization of blood vessels. Human express alternately spliced isoforms, and VEGF-121 is the only form that lacks a basic heparinbinding region and is freely diffusible. VEGF-121 induces the proliferation of lymphatic endothelial cells and the

lymph angiogenesis may be promoted by up regulation of VEGF-121.

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.